

COMFAST®

300Mbps Project Outdoor CPE



WiFi
Transfer Tool



Security
Monitoring Partner



Outdoor
WiFi Cover



WiFi Base
Station



CF-E113A V2

Hardware Specification	Chipset: Qualcomm AR9344 560MHz Industrial CPU; RAM: DDR 64MB; Flash: 8MB; PA: SKY85735
Antenna	11dBi 5.8GHz Antennas
Wireless Standard	IEEE802.11a/an
RF Parameters	Output Power: 200mW(23dBm); Receiving Sensitivity: -96dBm; Working Frequency: 802.11a/an: 5.180GHz-5.825GHz
Modulation Mode	DSSS : DBPSK@1Mbps, DQPSK@2Mbps, CCK@5.5/11Mbps; OFDM : BPSK@6/9Mbps, QPSK@12/18Mbps, 16-QAM@24Mbps, 64-QAM@48/54Mbps; MIMO-OFDM: MCS 0-15
Transmission Rate	5.8GHz: 300Mbps
Physical Ports	1* 10/100Mbps WAN RJ45 Ethernet Port; 1* 10/100Mbps LAN RJ45 Ethernet Port; 1* RESET Button
Indicator	8* Indicators: Power/WAN/LAN/WiFi/Signal Strength(1-4)
Power	Power Supply: 48V
Power Consumption(Max)	<8W
IP Index	2KV Lightning Protection; IP65
MTBF	>250000H
Installation Way	Pole-mounted
Case	Plastic Case (Imported ABS Material)
Physical Features	Size: 165*95*31mm; Weight: 156g
Working Environment	Working Temperature: -10°C~55°C; Storage Temperature: -50°C~75°C; Working Humidity: 10%~90%RH Non-condensing; Storage Humidity: 5%~90%RH Non-condensing