


COMFAST®

300Mbps Project Outdoor CPE



WiFi
Transfer Tool



Security
Monitoring Partner



Outdoor
WiFi Cover



WiFi Base
Station



CF-A2

Hardware Specification	Chipset: Qualcomm AR9344 560MHz CPU ; RAM: DDR 64MB; Flash: 16MB;
Antenna	Built in 12dBi Antenna
Wireless Standard	IEEE802.11a/an
RF Parameters	Output Power (Max): 20mW (13dBm); Receiving Sensitivity (Min): -96dBm; Working Frequency: 802.11a/an : 5.180GHz-5.825GHz
Modulation Mode	DSSS : DBPSK@1Mbps、DQPSK@2Mbps、CCK@5.5/11Mbps; OFDM : BPSK@6/9Mbps、QPSK@12/18Mbps、16-QAM@24Mbps 64-QAM@48/54Mbps; MIMO-OFDM: MCS 0-15
Transmission Rate	5.8GHz:300Mbps
Physical Ports	2* 10/100Mbps LAN RJ45 Ethernet Port; 1* RESET Button 1* Toggle Switch(Support AP mode and Client mode interchanging)
Indicator	5* Indicators:Power / LAN1 / LAN2 / WiFi / Level
Power	POE Power Adapter: 9-24V
Power Consumption(Max)	<8W
IP Index	2KV Lightning Protection; IP63
MTBF	>250000H
Installation Way	Wall-mounted / Pole-mounted / bracket-mounted
Case	Plastic Case (Imported ABS Material)
Physical Features	Size: 200*48MM
Working Environment	Working Temperature: -10℃~55℃; Storage Temperature: -50℃~75℃; Working Humidity: 10%~90%RH Non-condensing; Storage Humidity: 5%~90%RH Non-condensing